

CT5.31# – ROAD MAINTENANCE REQUIREMENTS. (7/01) Purchaser shall maintain roads in accordance with the following:

### Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-811	T-836	T-831	T-834	T-842	T-839				
3715000	OR 204	End	3.10	P									
3719000	OR 204	3719030	1.45	P		P	P	P					
3719000	OR 204	3719060	1.85	P		P	P	P					
3719080	3719000	3719083	0.85		P								
3715030	3715000	End	0.54		P								
3715020	3715000	MP 0.32	0.32						P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-811	T-836	T-831	T-834	T-842	T-839				
3715000	OR 204	End	3.10	P									
3719000	OR 204	3719030	1.45	P		P	P	P					
3719000	OR 204	3719060	1.85	P		P	P	P					
3719080	3719000	3719083	0.85		P								
3715030	3715000	End	0.54		P								
3715020	3715000	MP 0.32	0.32						P				
3719083	3719080	End	0.31						P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-811	T-836	T-831	T-834	T-842	T-839				
3715000	OR 204	End	3.10	P									
3719000	OR 204	3719030	1.45	P		P	P	P					
3719000	OR 204	3719060	1.85	P		P	P	P					
3719080	3719000	3719083	0.85		P								
3715030	3715000	End	0.54		P								
3715020	3715000	MP 0.32	0.32						P				
3719083	3719080	End	0.31						P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

TABLE PURSUANT TO CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001) ) Purchaser  
shall maintain roads in accordance with the following:

**Contract Road Maintenance Requirements Summary**

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718000	3719000	End	3.40		P								
3719070	371900	End	0.64	P									
3719060	3719000	End	1.00	P									
3719020	3719000	MP 0.46	0.46	P									
3719025	3719020	MP 0.3	0.30	P									
3719030	371900	End	1.00	P									
3719037	3719030	End	0.13	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718000	3719000	End	3.40		P								
3719070	371900	End	0.64	P									
3719060	3719000	End	1.00	P									
3719020	3719000	MP 0.46	0.46	P									
3719025	3719020	MP 0.3	0.30	P									
3719030	371900	End	1.00	P									
3719037	3719030	End	0.13	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718000	3719000	End	3.40		P								
3719070	371900	End	0.64	P									
3719060	3719000	End	1.00	P									
3719020	3719000	MP 0.46	0.46	P									
3719025	3719020	MP 0.3	0.30	P									
3719030	371900	End	1.00	P									
3719037	3719030	End	0.13	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

**Contract Road Maintenance Requirements Summary**

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718150	3718000	Gate	0.37		P								
3718155	3718150	FS Bndry	1.00	P									
3718156	3715155	FS Bndry	0.25	P									
3718200	3718000	End	0.50	P									
3718150	Gate	MP 2.4	2.03	P									
3700030	3719080	End	0.14		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718150	3718000	Gate	0.37		P								
3718155	3718150	FS Bndry	1.00	P									
3718156	3715155	FS Bndry	0.25	P									
3718200	3718000	End	0.50	P									
3718150	Gate	MP 2.4	2.03	P									
3700030	3719080	End	0.14		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-839	T-836								
3718150	3718000	Gate	0.37		P								
3718155	3718150	FS Bndry	1.00	P									
3718156	3715155	FS Bndry	0.25	P									
3718200	3718000	End	0.50	P									
3718150	Gate	MP 2.4	2.03	P									
3700030	3719080	End	0.14		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
3715000 OR 204 to End	T811-01F T834-01F	EX	AI	A		D					JU		
3715020 3715000 to MP 0.32	T834-01F T839-01F									W, B		P	
3715030 3715000 to End	T834-01F												
3719000 OR 204 to 3719030	T811-01F T834-01F	EX	C	A	4' L&R	D					JU		
3719000 OR 204 to 3719060	T811-01F T834-01F	EX	C	A	4' L&R	D					JU		
3719080 3719000 to 3719083	T834-01F	EX	AI										
3719083 3719080 To End	T834-01F T839-01F									W, B		P	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

[illegible]

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
3718155 3718150 to FS Bndry	T834-01F T839-01F												
3718156 3715155 to FS Bndry	T834-01F T839-01F												
3718200 3718000 to End	T834-01F T839-01F								W,B		P		
3718150 Gate to MP 2.40D	T834-01F T839-01F												
3700030 3719080 to End	T834-01F	EX	AI							JU			

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
	Any	Blank	Except as otherwise described, no entry indicates Purchaser is not authorized or required to perform the work item(s).
	Any	RC	This work requirement applies only when haul of sale related construction materials occurs.
2	Special Project Specification	Number	Entry indicates Special Project Specification which applies.
3	Travel Way	EX	Purchaser shall maintain the traveled way to the width existing upon entry, or at the completion of Specified Road work.
		Numbers	Purchaser shall maintain the traveled way to the standard width indicated by the entry, plus curve widening, in accordance with Section T-811. If required, the road template shall be shaped to this width and to the designated cross slope before haul and during recurring maintenance.
		IS, C, OS, F, or AI	Cross slopes are designated as: IS (Inslope), C (Crown), OS (Outslope), F (Flat), AI (As Is).
		A or B	If compaction is required.
4	Brush and Log Out	Numeric & R and or L	Purchaser shall remove brush for specified width on either or both the right (R) side or left (L) side of road.
		As Staked	Limits of brushing are as staked or marked in the field.
		OPT	Purchaser may use hand or mechanical means of brushing.
		H	Only hand brushing may be used.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
5	Surfacing	Aggregate Grading	Purchaser shall place surfacing on roads listed according to the grading indicated.
		D	Contractor is to make deposits for listed road maintenance, including surface rock replacement.
6	Dust Abatement	OPT	Product selection is Purchaser's choice from those listed in Section T-812.
		Product Abbr.	Unless otherwise agreed, Purchaser is restricted to product listed corresponding to the abbreviation shown in Section T-812; (i.e., LigS = Lignon Sulfonate) Application rates are estimated amounts.
		EX	Purchaser shall abate dust on the existing width
		Numbers	Purchaser shall abate dust to the width indicated by entry.
7	Seasonal Maintenance	W	Waterbars and/or crossditching shall be required prior to expected seasonal precipitation.
		B	Entrance barriers shall be installed by Purchaser prior to nonuse periods.
8	Snow Removal	TS	Snowplowing authorized for Purchaser's Operations without recreation access being provided per Section T-803 requirements.
		JU	Snowplowing authorized, but must provide for recreation joint use per Section T-803 requirements.
		Blank	Snowplowing is not authorized. Forest Service may authorize plowing by permit when not in conflict with other uses.
9	Post Haul	P	P denotes that work is Purchaser's Responsibility to perform.